

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	846159	(computer microprocessor processor cpu) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/20 08:12
S2	165623	("248").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/10 13:46
S3	4	S2 and (ball with joint) and ((lock brake) with electromagnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/20 09:36
S4	49	S2 and ((lock brake) with electromagnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 09:49
S5	2	S2 and stereotaxic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:49
S6	2	("20040172012").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/10 13:52
S7	1724	S2 and (ball with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:57
S8	82	S2 and (ball with joint) and medical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/10 13:58
S9	449	S2 and ((lock brake) with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/10 14:09

EAST Search History

S10	7	S2 and ((lock brake) with joint with (electromagnetic magnet\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/10 14:09
S11	39	S2 and ((lock brake) with joint) and medical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/10 14:12
S12	23043	S2 and (weight counterweight counter-weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/10 14:13
S13	172	S9 and (weight counterweight counter-weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 08:54
S14	165641	("248").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/13 07:20
S15	1724	S14 and (ball with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 07:20
S16	7	S14 and ((lock brake) with joint with (electromagnetic magnet\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 07:20
S17	2	("6306146").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/13 07:57
S18	2	("5,857,492").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/13 08:23
S19	136	endoscope and (weight counterweight counter-weight) and ball and joint and arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 08:54

EAST Search History

S20	49	S14 and ((lock brake) with electromagnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 09:32
S21	25	S20 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 09:32
S22	2	("5857492").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/13 09:49
S23	6	((("4,863,133") or ("5,170,790") or ("5,609,565") or ("5,697,939") or ("5,918,844") or ("6,514,239"))).PN.	USPAT; USOCR	OR	OFF	2005/08/13 10:19
S24	28	(US-20020014567-\$ or US-20030230698-\$ or US-20040172012-\$ or US-20050109903-\$).did. or (US-4101779-\$ or US-4344595-\$ or US-4491435-\$ or US-4515333-\$ or US-4548373-\$ or US-4742825-\$ or US-4867405-\$ or US-5288043-\$ or US-5332181-\$ or US-5571072-\$ or US-5597146-\$ or US-5609565-\$ or US-5667186-\$ or US-5825536-\$ or US-6045104-\$ or US-6050530-\$ or US-6079681-\$ or US-6471165-\$ or US-6491273-\$ or US-6569084-\$ or US-6575653-\$ or US-6899307-\$ or US-6306146-\$ or US-5857492-\$). did.	US-PGPUB; USPAT	OR	ON	2005/08/13 10:20
S25	27	S24 not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/13 10:20
S26	34	((longitudinal elongated) with shaft with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and (instrument device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/20 08:22
S27	19	((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (longated elongated shaft tubular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/20 08:25

EAST Search History

S28	20	((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (long elongated shaft tubular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/20 08:24
S29	15	((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (longated elongated shaft tubular)) and ((hold\$3 grasp\$3 support\$3) with (instrument device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/20 08:28
S30	2	((longitudinal elongated) with (platform shaft) with (ball adj joint) with (hold\$3 grasp\$3 support\$3)) and ((instrument device) with (longated (elongated shaft tubular)) and ((hold\$3 grasp\$3 support\$3) with (instrument device))).clm.	US-PGPUB	OR	ON	2006/03/20 09:36
S31	156	(600/102).CCLS.	USPAT; USOCR	OR	OFF	2006/03/20 09:38
S32	19	S31 and (ball with joint)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/20 09:36